Contents

Aguilera, A., Zimmermann, F.K.: Isolation and molecular		Chiariotti, L., Nappo, A.G., Carlomagno, M.S., Bruni, C.B.:	
analysis of the phosphoglucose isomerase structural gene		Gene structure in the histidine operon of Escherichia coli.	
of Saccharomyces cerevisiae	83	Identification and nucleotide sequence of the hisB gene	42
Aiba, S., s. Ano, T., et al	416	Chilton, MD., s. Framond, A.J. de, et al.	125
Alba, S., s. Muller, R.E., et al	169	Chilton, W.S., s. Framond, A.J. de, et al	125
Allen, C., Stromberg, V.K., Smith, F.D., Lacy, G.H., Mount,		Cocking, E.C., s. Pental, D., et al.	342
M.S.: Complementation of an Erwinia carotovora subsp.		Costanzo, M.C., Mueller, P.P., Strick, C.A., Fox, T.D.: Pri-	
carotovora protease mutant with a protease-encoding cos-	276	mary structure of wild-type and mutant alleles of the	204
mid	276 120	PET494 gene of Saccharomyces cerevisiae	294
Alvarado, M., s. Herrera, F., et al	120	Consequence A. Ookee, J.D	30
plasmid pRBH1 is negatively controlled by RepB protein	416	Crossway, A., Oakes, J.V., Irvine, J.M., Ward, B., Knauf, V.C., Shewmaker, C.K.: Integration of foreign DNA fol-	
Ano, T., s. Muller, R.E., et al	169	lowing microinjection of tobacco mesophyll protoplasts	170
Anraku, Y., s. Mogi, T., et al.	35	Crozel, V., s. Geli, V., et al	455
Artz, S., s. Blum, P., et al.	327	Cullum, J., s. Kendall, K.	240
Assinder, S.J., Giddings, B., Upshall, A.: Mitotic crossing	341	Dassa, E., s. Touati, E., et al.	257
over in chromosome I disomics of Aspergillus nidulans	382	Davies, D.R., s. Domoney, C., et al.	280
Aubert, P., s. Béguin, P., et al		Delius, H., s. Boeckh, C., et al.	461
Babu, A., s. Verma, R.S., et al.	339	Dennis, E.S., s. Brettell, R.I.S., et al.	235
Back, E.W., s. Framond, A.J. de, et al		Deno, H., s. Shinozaki, K., et al	1
Bade, E.G., s. Boeckh, C., et al	461	Diaz, I., Ehrenberg, M., Kurland, C.G.: How do combina-	•
Ballance, D.J., Turner, G.: Gene cloning in Aspergillus nidu-		tions of rpsL and miaA generate streptomycin depen-	
lans: isolation of the isocitrate lyase gene (acuD)	271	dence?	207
Baltz, R.H., s. Stonesifer, J., et al	348	Dirks, R., Negrutiu, I., Heinderyckx, M., Jacobs, M.: Genetic	
Baty, D., s. Geli, V., et al	455	analysis of revertants for the nitrate reductase function	
Beach, D., s. Hayles, J., et al	291	of Nicotiana plumbaginifolia	309
Béguin, P., Rocancourt, M., Chebrou, MC., Aubert, P.:		Disqué-Kochem, C., Seidel, U., Helsberg, M., Eichenlaub,	
Mapping of mRNA encoding endoglucanase A from Clos-		R.: The repeated sequences (incB) preceding the protein	
tridium thermocellum	251	E gene of plasmid mini-F are essential for replication	132
Berkaloff, A., s. Petit, A., et al.	388	Domoney, C., Ellis, T.H.N., Davies, D.R.: Organization and	
Bienkowska-Szewczyk, K., s. Szewczyk, B., et al	363	mapping of legumin genes in Pisum	280
Blaha, L., s. Blum, P., et al	327	Dorn, R., s. Reuter, G., et al	481
Blanco, C., Ritzenthaler, P., Kolb, A.: The regulatory region		Dosik, H., s. Verma, R.S., et al.	339
of the uxuAB operon in Escherichia coli K12	112	Durkacz, B., s. Hayles, J., et al.	291
Blum, P., Blaha, L., Artz, S.: Reversion and immobilization		Eckardt, F., s. Siede, W	68
of phage Mud1 cts (Aprlac) insertion mutations in Salmo-	207	Eckart, M., s. Roggenkamp, R., et al	302
nella typhimurium	327	Eckes, P., s. Rosahl, S., et al.	368
Blundy, K.S., White, J., Firmin, J.L., Hepburn, A.G.: Char-		Ehrenberg, M., s. Diaz, I., et al.	207
acterisation of the T-region of the SAP-type Ti-plasmid pTiAT181: identification of a gene involved in SAP syn-		Eichenlaub, R., s. Disqué-Kochem, C.	132 280
thesis	62	Ellis, T.H.N., s. Domoney, C., et al	280
Boeckh, C., Bade, E.G., Delius, H., Reeve, J.N.: Inhibition	02	tode for regulation of transposon excision by tissue-specif-	
of bacterial segregation by early functions of phage Mu		ic factors	410
and association of replication protein B with the inner		Erratt, J.A., Nasim, A.: Allelism within the DEX and STA	410
cell membrane	461	gene families in Saccharomyces diastaticus	255
Boot, K.J.M., s. Haas, J.M. de, et al.	48	Faller, W., s. Brandsch, R., et al	96
Boquet, P.L., s. Touati, E., et al	257	Fayet, O., Louarn, JM., Georgopoulos, C.: Suppression of	
Brandsch, R., Faller, W., Schneider, K.: Plasmid pAO1 of		the Escherichia coli dnaA46 mutation by amplification of	
Arthrobacter oxidans encodes 6-hydroxy-D-nicotine oxi-		the groES and groEL genes	435
dase: cloning and expression of the gene in Escherichia		Firmin, J.L., s. Blundy, K.S., et al	62
coli	96	Fowler, T., Thompson, R.: Shadow promoters in the F plas-	
Braun, R.E., Wright, A.: DNA methylation differentially en-		mid transfer operon	509
hances the expression of one of the two E. coli dnaA pro-		Fox, T.D., s. Costanzo, M.C., et al.	294
moters in vivo and in vitro	246	Fraley, R.T., s. Wallroth, M., et al	6
Brettell, R.I.S., Dennis, E.S., Scowcroft, W.R., Peacock,		Framond, A.J. de, Back, E.W., Chilton, W.S., Kayes, L.,	
W.J.: Molecular analysis of a somaclonal mutant of maize		Chilton, MD.: Two unlinked T-DNAs can transform	
alcohol dehydrogenase	235	the same tobacco plant cell and segregate in the F1 genera-	
Brown, N.L., Misra, T.K., Winnie, J.N., Schmidt, A., Seiff,		tion	
M., Silver, S.: The nucleotide sequence of the mercuric		Franceschi, F., s. Herrera, F., et al	
resistance operons of plasmid R100 and transposon		Freund, JN., s. Rawis, J.M., et al	493
Tn501: further evidence for mer genes which enhance the		Friede, B., s. Reuter, G., et al	481
activity of the mercuric ion detoxification system		Gantt, J.S., Key, J.L.: Isolation of nuclear encoded plastid	
Bruni, C.B., s. Chiariotti, L., et al.		ribosomal protein cDNAs	186
Carlomagno, M.S., s. Chiariotti, L., et al	42	Geli, V., Baty, D., Crozel, V., Morlon, J., Lloubes, R., Pattus,	
Chebrou, MC., s. Béguin, P., et al.		F., Lazdunski, C.: A molecular genetic approach to the	
Chemitiganti, S., s. Verma, R.S., et al	339	functioning of the immunity protein to colincin A	455

Gelvin, S.B., s. Goldbrough, P.B., et al	374	associated with plasmid integration in Streptomyces coeli-	
Georgopoulos, C., s. Fayet, O., et al	435	color A3(2)	240
Gerats, A.G.M., s. Wallroth, M., et al	6	Key, J.L., s. Gantt, J.S.	186
Giddings, B., s. Assinder, S.J., et al	382	Khesin, R.B., s. Lomovskaya, O.L., et al	286
Goldbrough, P.B., Gelvin, S.B., Larkins, B.A.: Expression			136
	374	Knauf, V.C., s. Crossway, A., et al.	179
of maize zein genes in transformed sunflower cells			
Gorlenko, Zh.M., s. Lomovskaya, O.L., et al	286	Kohli, J., s. Szankasi, P., et al.	394
Gram, H., Rüger, W.: The α-glucosyltransferases of bacterio-			112
phages T2, T4 and T6. A comparison of their primary		Kool, A.J., s. Haas, J.M. de, et al.	48
structures	467	Kozloff, L.M., s. Szewczyk, B., et al	363
Granger-Schnarr, M.: Base pair substitution and frameshift		Kreiswirth, B., s. Recsei, P., et al.	58
mutagenesis induced by apurinic sites and two fluorene		Kumano, M., Tomioka, N., Shinozaki, K., Sugiura, M.:	00
	00		
derivatives in a recA441 lexA (Def) strain	90	Analysis of the promoter region in the rrnA operon from	
Grossman, L.I., s. Shumard, D.S., et al	16	a blue-green alga, Anacystis nidulans 6301	
Gruss, A., s. Recsei, P., et al	58	Kupper, D., s. Piechocki, R., et al	162
Gysler, C., s. Szankasi, P., et al	394	Kuramitsu, S., s. Shinozaki, K., et al	1
Haas, J.M. de, Boot, K.J.M., Haring, M.A., Kool, A.J., Nij-		Kurland, C.G., s. Diaz, I., et al	207
kamp, H.J.J.: A Petunia hybrida chloroplast DNA region,		Labes, M., s. Hynes, M.F., et al	356
close to one of the inverted repeats, shows sequence ho-		Lacy, G.H., s. Allen, C., et al.	
mology with the Euglena gracilis chloroplast DNA region		Lamb, J.W., Hennecke, H.: In Bradyrhizobium japonicum the	210
	40		
that carries the putative replication origin	48	common nodulation genes, nodABC, are linked to nifA	
Hamill, J.D., s. Pental, D., et al	342	and fixA	512
Hancock, E.W., s. Poole, K	403	Langhammer, R., s. Piechocki, R., et al	162
Hansen, H., s. Roggenkamp, R., et al	302	Larkins, B.A., s. Goldbrough, P.B., et al	374
Harayama, S., Rekik, M., Timmis, K.N.: Genetic analysis		Larson, T.J., s. Schweizer, H., et al.	488
of a relaxed substrate specificity aromatic ring dioxygen-		Lazdunski, C., s. Geli, V., et al	455
ase toluate 1,2-dioxygenase, encoded by TOL plasmid		Leupold, U., s. Szankasi, P., et al.	394
pWW0 of Pseudomonas putida	226		455
		Lloubes, R., s. Geli, V., et al.	
Haring, M.A., s. Haas, J.M. de, et al	48	Lochmann, ER., s. Thüroff, E., et al.	336
Hayles, J., Beach, D., Durkacz, B., Nurse, P.: The fission.		Lomovskaya, O.L., Mindlin, S.Z., Gorlenko, Zh.M., Khesin,	
yeast cell cycle control gene cdc2: isolation of a sequence		R.B.: A nonconjugative mobilizable broad host range	
suc1 that suppresses cdc2 mutant function	291	plasmid of Acinetobacter sp. that determines HgCl2 resis-	
Hayward, R.S., s. Meek, D.W		tance	286
Heinderyckx, M., s. Dirks, R., et al	309	Lörz, H., s. Werr, W.	471
Heinisch, J.: Isolation and characterization of the two struc-	309	Louarn, JM., s. Fayet, O., et al.	
tural genes coding for phospho-fructokinase in yeast	75	Louis, C., s. Rawis, J.M., et al.	493
Helsberg, M., s. Disqué-Kochem, C		Macleod, H., Stadler, D.: Excision of pyrimidine dimers from	
Hennecke, H., s. Lamb, J.W	512	the DNA of Neurospora	321
Hepburn, A.G., s. Blundy, K.S., et al	62	Mankin, A.S., Kagramanova, V.K.: Complete nucleotide se-	
Herman, R.K., s. Sigurdson, D.C., et al	212	quence of the single ribosomal RNA operon of Halobac-	
Herrera, F., Franceschi, F., Zambrano, R., Alvarado, M.:		terium halobium: secondary structure of the archaebacter-	
An altered ribosomal protein in an edeine-resistant mutant		ial 23S rRNA	152
	120		
of Saccharomyces cerevisiae	120	March, J.B., s. Jenkins, A.J., et al.	446
Hollenberg, C.P., s. Roggenkamp, R., et al	302	Masters, M., s. Jenkins, A.J., et al	446
Horsch, R.B., s. Wallroth, M., et al		Matsushima, P., s. Stonesifer, J., et al	348
Horton, C.A., s. Sigurdson, D.C., et al	212	Matsuyama, S., s. Nara, F., et al.	194
Howells, A.J., s. Walker, A.R., et al	102	Mayer, F., s. Rohde, C., et al	476
Hudspeth, M.E.S., s. Shumard, D.S., et al.	16	McGhee, J.D., Cottrell, D.A.: The major gut esterase locus	
Hughes, D.: The isolation and mapping of EF-Tu mutations		in the nematode Caenorhabditis elegans	30
in Salmonella typhimurium	100	Meek, D.W., Hayward, R.S.: Direct evidence for autogenous	30
	100		500
Hynes, M.F., Simon, R., Müller, P., Niehaus, K., Labes, M.,		regulation of the Escherichia coli genes rpoBC in vivo	500
Pühler, A.: The two megaplasmids of Rhizobium meliloti		Mindlin, S.Z., s. Lomovskaya, O.L., et al	286
are involved in the effective nodulation of alfalfa	356	Misra, T.K., s. Brown, N.L., et al	143
Ikeda, H.: Illegitimate recombination mediated by T4 DNA		Mizuno, T., s. Nara, F., et al	194
topoisomerase in vitro. Recombinants between phage and		Mizushima, S., s. Nara, F., et al	194
plasmid DNA molecules	518	Mogi, T., Yamamoto, H., Nakao, T., Yamato, I., Anraku,	
Imanaka, T., s. Ano, T., et al.	416	Y.: Genetic and physical characterization of putP, the pro-	
Imanaka, T., s. Muller, R.E., et al.	169	line carrier gene of Escherichia coli K12	35
Imina I M a Crasswey A at al	170		
Irvine, J.M., s. Crossway, A., et al	179	Morlon, J., s. Geli, V., et al	455
Jacobs, M., s. Dirks, R., et al		Morohoshi, F., Munakata, N.: Two classes of Bacillus subtilis	
Janowicz, Z., s. Roggenkamp, R., et al		mutants deficient in the adaptive response to simple alky-	
Jarry, B.P., s. Rawis, J.M., et al		lating agents	200
Jenkins, A.J., March, J.B., Oliver, I.R., Masters, M.: A DNA		Mount, M.S., s. Allen, C., et al	276
fragment containing the groE genes can suppress muta-		Moustacchi, E., s. Sena, E.P., et al	421
tions in the Escherichia coli dna A gene		Mueller, P.P., s. Costanzo, M.C., et al.	294
Johannssen, W., s. Rohde, C., et al.		Müller, P., s. Hynes, M.F., et al.	356
Kagramanova, V.K., s. Mankin, A.S.			330
		Muller, R.E., Ano, T., Imanaka, T., Aiba, S.: Complete nu-	
Kari, C.K., s. Sigurdson, D.C., et al		cleotide sequences of Bacillus plasmids pUB110dB,	
Käufer, N.F., s. Thüroff, E., et al		pRBH1 and its copy mutants	169
Kayes, L., s. Framond, A.J. de, et al		Munakata, N., s. Morohoshi, F	200
Kendall, K., Cullum, J.: Identification of a DNA sequence		Munz, P., s. Szankasi, P., et al.	394

Nakao, T., s. Mogi, T., et al.	35		493
Nakazawa, A., s. Yamada, M	24		368
Nappo, A.G., s. Chiariotti, L., et al	42	Schlievert, P., s. Recsei, P., et al	58
ular analysis of mutant <i>ompR</i> genes exhibiting different		Schneider, K., s. Brandsch, R., et al.	143 96
phenotypes as to osmoregulation of the ompF and ompC		Schweizer, H., Sweet, G., Larson, T.J.: Physical and genetic	70
genes of Escherichia coli	194	structure of the glpD+malT interval of the Escherichia	
Nasim, A., s. Erratt, J.A	255	coli K-12 chromosome. Identification of two new structur-	
Negrutiu, I., s. Dirks, R., et al	309	al genes of the glp-regulon	488
Niehaus, K., s. Hynes, M.F., et al.	356		235
Nijkamp, H.J.J., s. Haas, J.M. de, et al	48 58	Segraves, W.A., s. Rawis, J.M., et al	493
Novick, R.P., s. Recsei, P., et al	291	Seidel, U., s. Disqué-Kochem, C	132
Oakes, J.V., s. Crossway, A., et al.	179	Sena, E.P., Revet, B., Moustacchi, E.: In vivo homologous	143
Olivares, J., s. Toro, N	331	recombination intermediates of yeast mitochondrial DNA	
Oliver, I.R., s. Jenkins, A.J., et al	446	analyzed by electron microscopy	421
O'Reilly, M., s. Recsei, P., et al	58	Shewmaker, C.K., s. Crossway, A., et al	179
Pattus, F., s. Geli, V., et al	455	Shinozaki, K., Deno, H., Sugita, M., Kuramitsu, S., Sugiura,	
Peacock, W.J., s. Brettell, R.I.S., et al.	235	M.: Intron in the gene for the ribosomal protein S16 of	
Pental, D., Hamill, J.D., Pirrie, A., Cocking, E.C.: Somatic		tobacco chloroplast and its conserved boundary sequences	1
hybridization of Nicotiana tabacum and Petunia hybrida.		Shinozaki, K., s. Kumano, M., et al.	173
Recovery of plants with <i>P. hybrida</i> nuclear genome and	242	Shumard, D.S., Grossman, L.I., Hudspeth, M.E.S.: Achlya	
N. tabacum chloroplast genome	342	mitochondrial DNA: gene localization and analysis of in-	16
of plant cells by Agrobacterium may be responsible for		verted repeats	16
the complex organization of T-DNA in crown gall and		in a thermoconditional mutant of Saccharomyces cerevi-	
hairy root	388	siae. III. Dose-response pattern of mutation induction in	
Piechocki, R., Kupper, D., Quiñones, A., Langhammer, R.:		UV-irradiated rev2 ^{ts} cells	68
Mutational specificity of a proof-reading defective		Sigurdson, D.C., Herman, R.K., Horton, C.A., Kari, C.K.,	
Escherichia coli dnaQ49 mutator	162	Pratt, S.E.: An X-autosome fusion chromosome of Caen-	
Pirrie, A., s. Pental, D., et al.	342	orhabditis elegans	212
Poole, K., Hancock, E.W.: Isolation of a Tn501 insertion		Silver, S., s. Brown, N.L., et al	
mutant lacking porin protein P of Pseudomonas aeruginosa		Simon, R., s. Hynes, M.F., et al.	356
Pratt, S.E., s. Sigurdson, D.C., et al.		Singh, M., Klingmüller, W.: Transposon mutagenesis in	
Pühler, A., s. Hynes, M.F., et al		Azospirillum brasilense: isolation of auxotrophic and Nif- mutants and molecular cloning of the mutagenized	
Rauh, G., s. Reuter, G., et al.		nifDNA	
Rawis, J.M., Freund, JN., Jarry, B.P., Louis, C., Segraves,	401	Smith, F.D., s. Allen, C., et al	276
W.A., Schedl, P.: Organization of transcription units ar-		Sommer, H., Saedler, H.: Structure of the chalcone synthase	
ound the Drosophila melanogaster rudimentary locus and		gene of Antirrhinum majus	429
temporal pattern of expression	493	Stadler, D., s. Macleod, H	
Recsei, P., Kreiswirth, B., O'Reilly, M., Schlievert, P., Gruss,		Stonesifer, J., Matsushima, P., Baltz, R.H.: High frequency	
A., Novick, R.P.: Regulation of exoprotein gene expres-	60	conjugal transfer of tylosin genes and amplifiable DNA	
sion in Staphylococus aureus by agr	58 461	in Streptomyces fradiae	
Reeve, J.N., s. Boeckh, C., et al		Strick, C.A., s. Costanzo, M.C., et al	
Reuter, G., Dorn, R., Wustmann, G., Friede, B., Rauh, G.:	240	Sugita, M., s. Shinozaki, K., et al.	
Third chromosome suppressor of position-effect variega-		Sugiura, M., s. Kumano, M., et al	173
tion loci in Drosophila melanogaster	481	Sugiura, M., s. Shinozaki, K., et al	
Revet, B., s. Sena, E.P., et al	421	Sweet, G., s. Schweizer, H., et al	488
Ritzenthaler, P., s. Blanco, C., et al	112	Szankasi, P., Gysler, C., Zehntner, U., Leupold, U., Kohli,	
Roberts, S., s. Emmons, S.W., et al.	410	J., Munz, P.: Mitotic recombination between dispersed	
Rocancourt, M., s. Béguin, P., et al.	251	but related tRNA genes of Schizosaccharomyces pombe	
Rogers, S.G., s. Wallroth, M., et al	6	generates a reciprocal translocation	
Roggenkamp, R., Hansen, H., Eckart, M., Janowicz, Z., Hollenberg, C.P.: Transformation of the methylotrophic yeast		Identification of T4 gene 25 product, a component of the	
Hansenula polymorpha by autonomous replication and in-		tail baseplate, as a 15K lysozyme	
tegration vectors	302	Tearle, R.G., s. Walker, A.R., et al.	
Rohde, C., Johannssen, W., Mayer, F.: Electron microscopic		Tempé, J., s. Petit, A., et al	
localization of hydrogenase genes on the megaplasmid		Thompson, R., s. Fowler, T.	509
pHG1 in Alcaligenes eutrophus	476	Thüroff, E., Käufer, N.F., Lochmann, ER.: Effect of acry-	
Rosahl, S., Eckes, P., Schell, J., Willmitzer, L.: Organ-specific		lonitrile on the transcription of specific genes in Saccharo-	
gene expression in potato: isolation and characterization	260	myces cerevisiae	336
of tuber-specific cDNA sequences		Timmis, K.N., s. Harayama, S., et al	
Ruan, K., s. Emmons, S.W., et al	410	Tomioka, N., s. Kumano, M., et al	
border regions in crown gall tumor formation	312	of Rhizobium meliloti involved in enhancing nodulation	
Rüger, W., s. Gram, H	467	Touati, E., Dassa, E., Boquet, P.L.: Pleiotropic mutations	
Saedler, H., s. Sommer, H.	429	in appR reduce pH 2.5 acid phosphatase expression and	
Schäfer, U.: Genes for male-specific transcripts in Drosophila		restore succinate utilisation in CPR-deficient strains of	
melanogaster	219	Escherichia coli	257

Turner, G., s. Ballance, D.J	271	White, J., s. Blundy, K.S., et al	62
Turner, G., s. Ward, M., et al		Wilkinson, B., s. Ward, M., et al.	
Upshall, A., s. Assinder, S.J., et al		Willmitzer, L., s. Rosahl, S., et al.	
Verma, R.S., Babu, A., Chemitiganti, S., Dosik, H.: A possi-		Winnie, J.N., s. Brown, N.L., et al	
ble cause of non-disjunction of additional chromosome 21		Wright, A., s. Braun, R.E.	
in Down syndrome	339	Wustmann, G., s. Reuter, G., et al	
Walker, A.R., Howells, A.J., Tearle, R.G.: Cloning and char-		Yamada, M., Nakazawa, A.: Effect of base substitutions in	
acterization of the vermilion gene of Drosophila melano-		the colicin E1 gene on colicin E1 export and bacteriocin	
gaster	102	activity	
Wallroth, M., Gerats, A.G.M., Rogers, S.G., Fraley, R.T.,		Yamamoto, H., s. Mogi, T., et al.	_
Horsch, R.B.: Chromosomal localization of foreign genes		Yamato, I., s. Mogi, T., et al.	
in Petunia hybrida	6	Yudkin, M.D.: The sigma-like product of sporulation gene	
Ward, B., s. Crossway, A., et al.	179	spollAC of Bacillus subtilis is toxic to Escherichia coli	
Ward, M., Wilkinson, B., Turner, G.: Transformation of As-		Zambrano, R., s. Herrera, F., et al	
pergillus nidulans with a cloned, oligomycin-resistant ATP		Zehntner, U., s. Szankasi, P., et al.	
synthase subunit 9 gene	265	Zimmermann, F.K., s. Aguilera, A.	
Werr, W., Lörz, H.: Transient gene expression in a Gramin-	200	Zimmormani, z razi, or rigonorm, ric v v v v v v v v v v	0.
eae cell line. A rapid procedure for studying plant promot-			
ers	471	Indexed in Current Contents	

